

Printing date 05/15/2019 Reviewed on 06/06/2017

1 Identification

· Product identifier 50718-314V

· Trade name: De-Solv-it Contractors Solvent

· Application of the substance / the mixture

Removal of asphalt, roofing tar, road tar, grease, oil, wet oil-based lacquers, paints, & stains, adhesives, caulk, mastic, liquid foam insulation, silicone sealant, water seal and similar products.

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Orange-Sol 1400 N. Fiesta Blvd. Bldg. 100 GILBERT, AZ 85233 USA

· Information department: Product safety department

· Emergency telephone number:

Infotrac: 1-800-535-5053

Acct 77203

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms No hazardous components
- · Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

Do not breathe mist.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 1
 Reactivity = 0

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: No hazardous components

4 First-Aid Measures

- Description of first aid measures
- · After inhalation: Move to fresh air. If irritation develops and persists, contact a physician.
- · After skin contact:

Remove affected clothing. Wash skin thoroughly with soap and water. Irritaion develops and persists, contact a physician.

· After eye contact:

Remove contact lenses, flush with water for at least 15 minutes while lifting eyelids. If irritation develops and persists, contact a physician.

- · After swallowing: Do not induce vomitting.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

Treat as Oil Fire CO2 Dry Chemical Foam.

Special hazards arising from the substance or mixture

As with any organic material, combustion will produce carbon dioxide and/or carbon monoxide.

- · Advice for firefighters Do not use streams of water; may spread burning liquid.
- · Protective equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Avoid prolonged skin contact. Wash affected skin after using.
- · Information about protection against explosions and fires:

Store in tightly closed, original container away from flame or other ignition source.

- · Conditions for safe storage, including any incompatibilities Store in dry, cool and well-ventilated area.
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Avoid breathing mist.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Gloves recommended for over-exposure.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Chemical resistent gloves.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended based on splash potential.

us -

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

(Contd. of page 3)

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: Gold - Orange
Orange
Odor threshold: Not determined.

· pH-value: None

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined

• Flash point: 92.77 °C (199 °F) (PMCC, ASTM D-93)

• Flammability (solid, gaseous): Non-Flammable

· Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapor pressure: Not determined.

· Weight per Gallon at 20 °C (68 °F): 7.04 lbs/gal

Specific Gravity 84

Vapor densityEvaporation rateNot determined.Not determined.

· Solubility in / Miscibility with

Water: Not Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0 %

VOC content: 0.5% by weight

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity Not determined.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat or source of ignition.
- · Incompatible materials: Strong oxidizers, acids and alkalis.

(Contd. on page 5)

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

· Hazardous decomposition products: CO, CO2

(Contd. of page 4)

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological Information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Biodegradable
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Biodegradable

This product has been evaluated for RCRA characteristics and does not meet the criteria for a hazardous waste, if discarded in its purchased form.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

us -

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

(Contd. of page 5)

14 Transport Information	
· UN-Number · DOT, ADN, IMDG, IATA	NA not regulated
 UN proper shipping name DOT, ADN, IMDG, IATA 	Not Regulated not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	Not Regulated not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 05/15/2019 Reviewed on 06/06/2017

Trade name: De-Solv-it Contractors Solvent

(Contd. of page 6)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms No hazardous components
- · Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

Do not breathe mist.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Farnsworth
- · Date of preparation / last revision 05/15/2019 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flam. Lig. 4: Flammable liquids – Category 4