# MATERIAL SAFETY DATA SHEET

Revision date: February 5, 2015



### **SECTION 1: IDENTIFICATION**

**Product Identifier:** Red Stamp-Ever stamp

**Product Code(s):** Various

**Product Use:** This product is intended for the purpose of marking / printing on porous substrates such as

paper or paper board.

Chemical Family: Mixture

Manufacturer's name and address: Identity Group

1480 Gould Drive

Cookeville, TN, USA 35806

**Information Telephone #:** 931-432-4000 (Monday – Friday 8:00 am – 5:00 pm Central Standard Time)

**24 Hr. Emergency Telephone #:** Chemtrec 1-800-424-9300 (Within Continental U.S.)

Chemtrec 1-703-527-3887 (Outside U.S.)

### SECTION 2: HAZARDS IDENTIFICATION

Classification: Acute toxicity, Oral Category 5

Acute toxicity, Skin Category 5
Serious eye damage/eye irritation Category 2A
Acute aquatic toxicity Category 1
Chronic aquatic toxicity Category 3

Reproductive toxicity

Skin irritation

Category 1B

Category 2

Labeling: Symbols:







Signal Word: Danger

**Hazard statements:** H303 May be harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation H360 May damage fertility or the unborn child

H400 Very toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

**Precautionary statements:** P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P281 Wear personal protective equipment as required. P301 + P312 IF SWALLOWED: Call a POISON

CENTER or doctor/physician if you feel

unwell.

P305+351+338 IF IN EYES: Rinse continuously with water

for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

CAS#	Wt. %
1330-78-5 27138-31-4 68603-42-9	5 – 10 5 - 10 1 - 5
66142-95-8	1 - 5
	1330-78-5 27138-31-4 68603-42-9

## **SECTION 4: FIRST AID MEASURES**

**Inhalation:** Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is

difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.

**Skin contact:** Immediately flush with plenty of water, while removing contaminated clothing. Wash contaminated

clothing before reuse. When symptoms persist or in all cases of doubt, seek medical advice.

**Eye contact:** Flush eyes with low pressure water for at least 15 minutes while holding eyelids open. When symptoms

persist or in all cases of doubt, seek medical advice.

**Ingestion:** Seek immediate medical attention/advice. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the

risk of aspiration.

**Notes for physician:** Treat symptomatically.

#### **SECTION 5: FIRE FIGHTING MEASURES**

**Suitable extinguishing media:** Dry chemical, foam, carbon dioxide and water fog

Fire hazards/conditions of flammability: This material is not flammable.

**Explosion data: Sensitivity to mechanical impact / static discharge:** Not expected to be sensitive to mechanical impact or static

discharge.

.Special fire-fighting procedures/equipment:

Firefighters should wear protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

**Hazardous combustion products:** Oxides of carbon and nitrogen, irritating fumes and smoke.

NFPA Rating: Health: 2 Flammability: 1 Instability: 0 Special Hazards: 0

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** All persons dealing with clean-up should wear the appropriate protective equipment. Do

not eat, drink or smoke while participating in clean up.

**Environmental precautions:** Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For

large spills, dike the area to prevent spreading of appropriate.

Spill response/cleanup: Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g.

sand), then place absorbent material into a container for later disposal (see Section 13).

Notify the appropriate authorities as required.

**Prohibited materials:** None specific

**Special spill response procedures:** In case of a transportation accident, in the United States contact CHEMTREC at 1-800-

424-9300 or International at 1-703-527-3887.

#### **SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling:** Do not ingest. Avoid contact with skin, eyes and clothing. Wash thoroughly after

handling.

**Conditions for safe storage:** Store in a cool, dry, well-ventilated area. Store away from incompatibles, temperature

extremes and out of direct sunlight.

Incompatible materials: Strong oxidizing agents; strong reducing agents; acids

**Special packaging materials:** Always keep in original packaging.

#### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Component	CAS No.	Value	Control Parameters	Source
bis(2-Ethylhexyl) phthalate	117-81-7	TWA	5 mg/m3	USA ACGIH Threshold Limit Values (TLV)
			Remarks	Lower respiratory tract irritation Confirmed animal carcinogen with unknown relevance to humans
		TWA	5 mg/m3	USA NIOSH Recommended Exposure Limits
			Remarks	Potential Occupational Carcinogen See Appendix A
		ST	10 mg/m3	USA NIOSH Recommended Exposure Limits
			Remarks	Potential Occupational Carcinogen See Appendix A
		TWA	5 mg/m3	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000
		STEL	10 mg/m3	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000

**Ventilation and engineering measures:** Use general or local exhaust ventilation to maintain air concentrations below

recommended exposure limits if appropriate.

**Respiratory protection:** If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of

which type of respirator is most suitable for the intended application should be obtained

from respiratory protection suppliers.

**Skin protection:** Impervious gloves must be worn when using this product if direct contact with skin is

unavoidable. Advice should be sought from glove suppliers.

**Eye / face protection:** Good industrial hygiene practices should be used when handling this product including

preventing eye contact and minimizing skin contact and inhalation.

**Other protective equipment:** As needed to prevent eye contact and minimizing skin contact and inhalation.

**General hygiene considerations:** Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat,

drink, smoke or use cosmetics while working with this product. If direct contact occurs, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash

contaminated clothing before re-use.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid

Appearance: Red flexible gel saturated with ink

**Odor:** Mild to negligible

Odor Threshold: N/Av Specific Gravity: 0.9

pH: Not applicable
Boiling point: >300 °F
Melting/Freezing point: Not available
Coefficient of water/oil distribution: Not available
Vapor pressure (mm Hg @ 20°C / 68°F): Not available
Vapor density (Air = 1): Heavier than air

**Evaporation rate (n-Butyl acetate = 1):** Slower than n-Butyl acetate

Solubility in water:NegligibleFlash Point>200 °F, TCCAuto-ignition temperatureNot applicableLower flammable limit (% by vol)Not applicableUpper flammable limit (% by vol)Not applicableFlame Projection LengthNot availableFlashback observedNot available

## **SECTION 10: STABILITY AND REACTIVITY**

**Chemical stability:** Stable under the recommended storage and handling conditions prescribed.

**Possibility of hazardous reactions:** None are known.

**Conditions to avoid:** Avoid heat and open flame.

Materials to avoid and incompatibility: See Section 7 (Handling and Storage) for further details.

**Hazardous decomposition products:** None known; refer to hazardous combustion products in Section 5.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Target organs:** Eyes, skin

Routes of exposure: Inhalation: Not likely with intended use

Skin absorption:Not likely with intended useSkin & Eyes:Not likely with intended useIngestion:Not likely with intended use

**Toxicological data:** There is no available data for the mixture itself, only for the ingredients. See below

for individual ingredient acute toxicity data.

Ingredient	Inhalation, rat	Oral, rat	LD <sub>50</sub> Rabbit, dermal	Intraperitoneal, rat	Intravenous, rat
Tricresyl Phosphate Diisononyl phthalate Di(propylene glycol) dibenzoate	No data available > 4.4 mg/l >200 mg/l	3,000 mg/kg >10,000 mg/kg 3,914 mg/kg	No data available >3,160 mg/kg >2,000 mg/kg rat		

Tricresyl phosphate: Eye damage/eye irritation: Eyes – rabbit –Mild eye irritation – 24 hours

**Carcinogenic status:** This substance has not been evaluated as a mixture.

IARC: 2B – Group 2B: Possibly carcinogenic to humans (bis(2-Ethylhexyl) phthalate) NTP: Reasonably anticipated to be a human carcinogen (bis(2-Ethylhexyl) phthalate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

**Reproductive effects:** This substance has not been evaluated as a mixture.

**Teratogenicity:** This substance has not been evaluated as a mixture.

**Germ Cell Mutagenicity:** This substance has not been evaluated as a mixture.

**Epidemiology:** This substance has not been evaluated as a mixture.

Conditions aggravated by overexposure: This substance has not been evaluated as a mixture.

### **SECTION 12: ECOLOGICAL INFORMATION**

<b>Ecotoxicity:</b>	No data is available on the mixture	e itself.			
Tricresyl phosphate:	Acute toxicity to fish:	$LC_{50}$	Rainbow trout	0.26 mg/l	96 hr
	Toxicity to aquatic invertebrates:	$EC_{50}$	Daphnia magna	2.3 mg/l	48 hr
	Acute algae toxicity:	EC <sub>50</sub>	Scenedesmus pannonicus Growth inhibition	1.3 mg/l	96 hr
Diisononyl phthalate:	Toxicity to fish: semi-static test	$LC_{50}$	Danio rerio	> 102 mg/l	96 hr
	Toxicity to aquatic invertebrates:	$EC_{50}$	Daphnia magna	> 74 mg/l	48 hr
	Toxicity to algae: static test	EC <sub>50</sub>	Desmodesmus subspicatus	>88 mg/l	72 hr
Di(propylene glycol) dibenzoate:	Toxicity to fish:	$LC_{50}$	Pimephales promelas	3.7 mg/l	96 hr
	Toxicity to aquatic invertebrates:	$EC_{50}$	Daphnia magna	19.3 mg/l	48 hr
	Toxicity to algae: static test	$EC_{50}$	Selenastrum capricornutum	3.6 mg/l	72 hr
	Toxicity to bacteria:	$EC_{50}$	Sludge treatment	>100 mg/l	3 hr

**Mobility:** Diisononyl phthalate: Adsorbs on soil

No data is available on the mixture itself.

**Persistence:** Diisononyl phthalate: aerobic – Exposure time 28 days - 81% Readily biodegradable

No data is available on the mixture itself.

**Bioaccumulation potential:** No data is available on the mixture itself.

Tricresyl Phosphate Pimephales promelas (fathead minnow) – 32 d

Bioconcentration Factor (BCF): 165

Diisononyl phthalate Oncorhynchus mykiss (rainbow trout)

Bioconcentration Factor (BCF): <3 Bioaccumulations is unlikely

**Other adverse environmental effects:** The ecological characteristics of this mixture have not been fully investigated.

No data is available on the mixture itself, but it is expected to be very toxic to aquatic life.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Methods of disposal**: Dispose of in accordance with federal, provincial and local hazardous waste regulations.

### **SECTION 14: TRANSPORT INFORMATION**

This material is not UN / IATA regulated.

This material is not classified as ICAO/IATA-DGR Dangerous Goods.

This material is not classified as hazardous per the IMDG Code.

This material is not classified as hazardous per ADR.

This material is not classified as hazardous per the U.S. Department of Transportation (DOT).

## **SECTION 15: REGULATORY INFORMATION**

**Inventory Status:** All listed ingredients appear on the Toxic Substances Control Act (TSCA) Inventory.

This material is classified as hazardous under OSHA regulations (29CFR 19410.1200). See Section 2.

**SARA TITLE III:** Sec. 302, Extremely Hazardous Substances, 40 CFR 355:

No Extremely Hazardous Substances are present in this mixture.

**SARA TITLE III:** 311/312 Acute Health Hazard, Chronic Health Hazard

SARA TITLE III: 313 Bis(2-Ethylhexyl) phthalate CAS 117-81-7

Chromate(3-),bix4-4,5-dihydro-4-(2-hydroxy-5-nitrophenyl)azo-3-methyl-5-oxo-

1H-pyrazol-1-yl benzenes CAS 66142-95-8

**CERCLA:** No chemicals in this mixture with known CAS numbers are subject to the reporting requirements of

CERCLA.

RCRA CODE: None

**Hazardous Air Pollutants (HAPS):** bis(2-Ethylhexyl) phthalate

Chromate(3-),bix4-4,5-dihydro-4-(2-hydroxy-5-nitrophenyl)azo-3-methyl-5-oxo-

1H-pyrazol-1-yl benzenes

US State "Right to Know" Laws:

**California Proposition 65:** Vinyl chloride <0.001%

bis(2-Ethylhexyl) phthalate <0.2%

Other US State "Right To Know" Lists:

The following chemicals are specifically listed by individual states: Tricresyl phosphate (PA, NJ)

Diisononyl phthalate (NJ, PA) bis(2-Ethylhexyl) phthalate (MA, PA, NJ) Chromate(3-),bix4-4,5-dihydro-4-(2-hydroxy-5-nitrophenyl)

azo-3-methyl-5-oxo-1H-pyrazol-1-yl benzenes

(PA, NJ, MI, MA, NC, WI)

Di(propylene glycol) dibenzoate (PA, NJ)

## **International Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). See Section 2.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

bis(2-Ethylhexyl) phthalate is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulations (EC) No. 1907/2006 (REACH).

# **SECTION 16: OTHER INFORMATION**

**HMIS Rating:** Health: \*2 Flammability: 1 Reactivity: 0

\* Chronic hazard 0-Minimal 1- Slight 2- Moderate 3- Serious 4- Severe

**Legend:** ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Services

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR Code of Federal Regulations
DOT Department of Transportation
EPA Environmental Protection Agency
HMIS Hazardous Material Identifications System
HSDB Hazardous Substances Data Bank

IARC International Agency for Research on Cancer

Inh Inhalation

MSHA Mine Safety and Health Administration
NFPA National Fire Protection Association

NIOSH National Institute of Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible exposure limit

RCRA Resource Conservation and Recovery Act

RTECS Registry and Toxic Effects of Chemical Substances SARA Superfund Amendments and Reauthorization Act

STEL	Short Term Exposure Limit

TDG Canadian Transportation of Dangerous Goods Act and Regulations

TLV Threshold Limit Values
TPQ Threshold Planning Quantity
TSCA Toxic Substances Control Act
TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Identification System

### **References:**

- 1. ACGIH, Threshold Limit Values and Biological Exposure Indices
- 2. International Agency for Research on Cancer Monographs
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases (Chempendium, HSDB and RTECs)
- 4. Material Safety Data Sheets for manufacturers
- 5. US EPA Title III List of Lists
- 6. California Proposition 65 List

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.