

Conforms to Hazard Communication Standard 29 CFR 1910.1200

---

---

## Section 1 - IDENTIFICATION

---

---

**Product Identifier:** Hot Shot Wasp & Hornet Killer<sub>3</sub>

**Other Means of Identification:**

Product Code HG-13412; HG-23416; HG-33412; HG-53416; HG-13416WMT; HG-23416WMT  
Formula Number 21-1497  
EPA Reg. Number 9688-190-8845

**Recommended Use:** Insecticide - Wasp & Hornet

**Recommended Restrictions:** Use in accordance with label directions

**Manufacturer/Importer/Supplier/Distributor Information:**

Company Name Spectrum Group, Division of United Industries  
Address PO Box 142642, St. Louis, MO 63114-0642  
Telephone Number 1-888-917-5431

**Emergency Telephone Number:**

CHEMTREC (800)424-9300  
Medical (866)823-2749

---

---

## Section 2 - HAZARD(S) IDENTIFICATION

---

---

**Classification of Substance or Mixture:**

Physical Hazard(s) Flammable Aerosol - Category 2  
Gases Under Pressure - Low Pressure Liquefied Gas  
Health Hazard(s) Skin irritant - Category 2

**Label Elements:**

Hazard Pictogram(s)



Signal Word

WARNING

Hazard Statements:

Flammable aerosol  
Contains gas under pressure; may explode if heated  
Causes skin irritation  
Precautionary Statements: Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.  
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.  
Wash hands thoroughly after handling. Wear protective gloves.  
If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash it before reuse.

**Hazard(s) not Otherwise Classified (HNOC):** No additional information available

**Supplemental Information:** None

---

---

## Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

---

---

| Chemical Name                              | Synonyms | CAS Number | %     |
|--------------------------------------------|----------|------------|-------|
| Hydrotreated light petroleum distillates   | n/a      | 64742-47-8 | 5.000 |
| Propane                                    | n/a      | 74-98-6    | 3.400 |
| Isopropyl Alcohol                          | n/a      | 67-63-0    | 2.040 |
| Isobutane                                  | n/a      | 75-28-5    | 0.080 |
| Prallethrin                                | n/a      | 23031-36-9 | 0.025 |
| Solvent naptha (petroleum), light aromatic | n/a      | 64742-95-6 | 0.010 |
| Cyhalothrin, lambda-                       | n/a      | 91465-08-6 | 0.010 |

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

#### Section 4 - FIRST-AID MEASURES

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

**Skin Contact:** In case of contact, wash skin with plenty of water for 15 minutes. If skin irritation or redness develops, seek medical attention.

**Eye Contact:** In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

**Most Important Symptoms/Effects, Acute and Delayed:** Symptoms of exposure may include skin irritation, irritation of eyes and nose, cough and/or shortness of breath.

**Indication of Immediate Medical Attention & Special Treatment Needed:** Seek medical attention if irritation persists.

#### Section 5 - FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Dry chemical or CO<sub>2</sub>.

**Unsuitable Extinguishing Media:** None: Use extinguishing agent suitable for type of surrounding fire.

**Specific Hazards Arising from the Chemical:** Products of combustion may include, and are not limited to: oxides of carbon.

**Special Protective Equipment and Precautions for Firefighters:** Keep upwind of fire. Vapors may cause dizziness or asphyxiation without warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. Fire may produce irritating, corrosive and/or toxic gases. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection.

**In Case of Large Fire:** Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

**Potential Hazards:** Some may burn but none ignite readily. Containers may explode when heated. Ruptured cylinders may rocket.

---

---

### Section 6 - ACCIDENTAL RELEASE MEASURES

---

---

**Personal Precautions, Protective Equipment and Emergency Procedures:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Methods and Materials for Containment and Cleaning Up:** Do not touch or walk through spilled material. Stop leak if you can do it without risk. Do not direct water at spill or source of leak. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. If possible, turn leaking containers so that gas escapes rather than liquid. Prevent entry into waterways, sewers, basements or confined areas. Allow substance to evaporate. Ventilate the area.

**Environmental Precautions:** Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

---

---

### Section 7 - HANDLING AND STORAGE

---

---

**Precautions for Safe Handling:** Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

**Conditions for Safe Storage, Including any Incompatibilities:** Keep out of reach of children. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. (See section 10).

**NFPA 30B Classification:** Level 1 Aerosol

---

---

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

---

**Control Parameters:**

| Chemical Name                            | Exposure Limits |                   |                   |                                                            |                    |                    |
|------------------------------------------|-----------------|-------------------|-------------------|------------------------------------------------------------|--------------------|--------------------|
|                                          | OSHA PEL        |                   | ACGIH TLV         |                                                            | Supplier OEL       |                    |
|                                          | ppm             | mg/m <sup>3</sup> | ppm               | mg/m <sup>3</sup>                                          | ppm                | mg/m <sup>3</sup>  |
| Hydrotreated Light Petroleum Distillates | -               | -                 | -                 | TWA 5; STEL 10; TWA 200 (as total hydro-carbon vapor), 8hr | -                  | -                  |
| Propane                                  | TWA 1000        | TWA 1800          | TWA 1000          | -                                                          | NIOSH REL TWA 1000 | NIOSH REL TWA 1800 |
| Isobutane                                | -               | -                 | STEL 1000         | -                                                          | NIOSH REL TWA 800  | NIOSH REL TWA 1900 |
| Isopropyl Alcohol                        | TWA 400         | TWA 980           | STEL 400; TWA 200 | -                                                          | -                  | -                  |
| Light aromatic naptha                    | TWA 500         | TWA 2000          | -                 | 200 (as total hydro-carbon vapor)                          | -                  | -                  |

**Appropriate Engineering Controls:** Wear appropriate respirator or use adequate ventilation where situations arise that the exposure limits are exceeded.

**Individual Protective Measures, Such as Personal Protective Equipment:**

|                                 |                                                                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------|
| Eye/face protection:            | None required for normal use. Avoid eye contact.                                                      |
| Skin and body protection:       | Wash hands thoroughly after handling. Wear protective gloves.                                         |
| Respiratory protection:         | None required under normal use conditions.                                                            |
| General hygiene considerations: | Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling. |

---

---

**Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

---

---

|                                                      |                                      |
|------------------------------------------------------|--------------------------------------|
| <b>Appearance (physical state, color, etc.):</b>     | Clear to slightly hazy yellow liquid |
| <b>Odor:</b>                                         | Solvent and Pyrethroid               |
| <b>Odor Threshold:</b>                               | No data available                    |
| <b>pH:</b>                                           | 7.38                                 |
| <b>Melting / Freezing Point:</b>                     | No data available                    |
| <b>Initial boiling point and range:</b>              | No data available                    |
| <b>Flashpoint:</b>                                   | No data available                    |
| <b>Evaporation Rate:</b>                             | No data available                    |
| <b>Flammability (solid, gas):</b>                    | No data available                    |
| <b>Upper/lower flammability or explosive limits:</b> | No data available                    |
| <b>Vapor pressure:</b>                               | No data available                    |
| <b>Vapor density:</b>                                | No data available                    |
| <b>Relative density:</b>                             | 0.806                                |
| <b>Solubility(ies):</b>                              | Soluble in water                     |
| <b>Partition coefficient (n-octanol/water):</b>      | No data available                    |
| <b>Auto-ignition temperature:</b>                    | No data available                    |
| <b>Decomposition temperature:</b>                    | No data available                    |
| <b>Viscosity:</b>                                    | No data available                    |
| <b>Heat of Combustion:</b>                           | 4.2kJ/g                              |

---

---

**Section 10 - STABILITY AND REACTIVITY**

---

---

|                                            |                                                             |
|--------------------------------------------|-------------------------------------------------------------|
| <b>Reactivity:</b>                         | No dangerous reaction known under conditions of normal use. |
| <b>Chemical stability:</b>                 | Stable under normal storage conditions.                     |
| <b>Possibility of hazardous reactions:</b> | No dangerous reaction known under conditions of normal use. |
| <b>Conditions to avoid:</b>                | Heat. Incompatible materials.                               |
| <b>Incompatible materials:</b>             | None known.                                                 |
| <b>Hazardous decomposition products:</b>   | May include, and are not limited to oxides of carbon.       |

---

---

**Section 11 - TOXICOLOGICAL INFORMATION**

---

---

**Information on the likely routes of exposure:** Inhalation, Ingestion and/or skin or eye contact

**Symptoms related to the physical, chemical and toxicological characteristics:**

Inhalation: May cause respiratory tract irritation.  
Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.  
Skin contact: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.  
Eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

**Acute Toxicity Values:**

| Calculated overall Chemical Acute Toxicity Values (ATE) |               |                   |
|---------------------------------------------------------|---------------|-------------------|
| LD50 (Oral)                                             | LD50 (Dermal) | LC50 (inhalation) |
| >5000 mg/kg                                             | >5000 mg/kg   | >2mg/l            |

**Eye Contact:** Based on available data, the classification criteria are not met.  
**Skin Contact:** This product is a skin irritant.  
**Sensitization:** Based on available data, the classification criteria are not met.

**Chronic Effects-Carcinogenicity:**

| Ingredient                                                                                                                           | Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA) |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| None of the ingredients present in this product at or above 0.1% are listed as potential carcinogens on the NTP, IARC or OSHA lists. |                                                                           |

**Reproductive Toxicity:** Based on available data, the classification criteria are not met.  
**Germ Cell Mutagenicity:** Based on available data, the classification criteria are not met.  
**STOT-single exposure:** Based on available data, the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data, the classification criteria are not met.  
**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Comment:** All information was generated using the GHS classification criteria for mixtures and test data where available.

---



---

**Section 12 - ECOLOGICAL INFORMATION**

---



---

**Ecotoxicity:** Per GHS, this product is classified as a category 2 aquatic chronic toxicant and a category 2 aquatic acute toxicant.  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**Other adverse effects:** No data available

---



---

**Section 13 - DISPOSAL CONSIDERATIONS**

---



---

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

---

---

**Section 14 - TRANSPORTATION INFORMATION**

---

---

|              |                       |                          |
|--------------|-----------------------|--------------------------|
| <b>DOT:</b>  | UN Number:            | UN1950                   |
|              | Proper Shipping Name: | Aerosols                 |
|              | Hazard Class:         | 2.1                      |
|              | Packing Group:        | None                     |
|              | Limited Quantity:     | ≤1L                      |
| <b>IATA:</b> | UN Number:            | UN1950                   |
|              | Proper Shipping Name: | Aerosols                 |
|              | Hazard Class:         | 2.1                      |
|              | Packing Group:        | None                     |
| <b>IMDG:</b> | UN Number:            | UN1950                   |
|              | Proper Shipping Name: | Aerosols                 |
|              | Hazard Class:         | 2.1                      |
|              | Packing Group:        | None                     |
|              | Limited Quantity:     | ≤1L                      |
|              | Marine Pollutant:     | Yes (Lambda-Cyhalothrin) |

---

---

**Section 15 - REGULATORY INFORMATION**

---

---

**US EPA Label Information:**

**EPA Pesticide Registration Number** 9688-190-8845

**Federal Insecticide, Fungicide, Rodenticide Act Regulations**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label**

**CAUTION:** KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and Domestic Animals

**CAUTION:** Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID: If Swallowed:** Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container with you when calling a Poison Control Center or doctor, or going for treatment. **Note to Physician:** Contains petroleum distillates — vomiting may cause aspiration pneumonia.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not apply directly to water.

**PHYSICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STORAGE AND DISPOSAL: Storage:** Store in cool, dry area away from heat or open flame.

**Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

**EPA TSCA Inventory:** All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

**SARA Hazard Category (311/312):** See OSHA hazards listed in section 2.

---

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disclaimer:</b> | Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

---

#### Section 16 - OTHER INFORMATION

---

Issue date: September 28, 2018  
Revision date: December 19, 2019  
Version number: 1.3