# Material Safety Data Sheet

# **U.S. Department of Labor**

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List) 51 K Counterfeit Detector Pen Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

#### **Section I**

Manufacturer's Name: Dri Mark Products Inc.	Emergency Telephone Number 1-516-484-6200		
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information 1-516-484-6200		
15 Harbor Park Dr.	Date Prepared 1/04/07		
Pt. Washington, New York 11050	Signature of Preparer (optional) Roberta Dobbs		

#### **Section II - Hazard Ingredients/Identity Information**

OSHA PEL TLV	Recommended	0// ( 1)
	Recommended	(optional)
S # 64-17-5	TLV (uni	
hetic Fiber		
Reactive Plastic		
Hazardous		
t	thetic Fiber Reactive Plastic Hazardous	S # 64-17-5 TLV (unitable)  thetic Fiber  Reactive Plastic

Section III - I	Physical/Chem	nica	l Characte	ristics		
Boiling Point			180°F	Specific Gravity (H <sub>2</sub> O = 1	)	.94
Vapor Pressure (r	mm Hg.)		10mm	Melting Point		
Vapor Density (A	IR = 1)		Greater than air	Evaporation Rate (Butyl Acetate = 1)		1.0
Solubility in Water	er: Soluble i	n wa	iter			
Appearance and (	Odor : Dark Red S	Solut	ion with a me	dicinal odor.		
Section IV - I	Fire and Explo	sio	n Hazard I	<b>D</b> ata		
Flash Point (Method Used): 81			Flammable Limits: LEL: 1.4		UEL: 15	
Extinguishing Me	edia: CO2 foam. F	Extin	guishing Pow	der, Water		
Special Fire Fight	Special Fire Fighting Procedures: Standard fire fighting eqiptment.					
Unusual Fire and None. Ink is in an						
(Reproduce local	ly)				OSHA 1	74, Sept. 1985
Section V - Reactivity Data						
Stability	Unstable		Conditions to	Avoid: Avoid inhaling, sw	allowing, exp	osure to skin
	Stable:	X				
Incompatibility (I None	Materials to Avoid	d)				
Hazardous Decon None	nposition or Bypr	oduc	ets			
Hazardous Polymerization	May Occur		Conditions to Avoid: excessive heat.			
	Will Not Occur	X				

## **Section VI - Health Hazard Data**

Route(s) of Entry:	Inhalation?: N/A	Skin?: N/A	Ingestion? : N/A
Health Hazards (Acute of Harmful if swallowed	and Chronic)	Л	
Carcinogenicity: No known effects	NTP?: N/A	IARC Monographs?: N/A	OSHA Regulated?: No
Signs and Symptoms of	Exposure :Alcohol vapor	s may have narcotic effect.	
Medical Conditions			
none			
	d Procedures : As the proc y. In case of emergency se	duct is marketed as a counterfeitek medical assistance.	t detector pen there is little
Section VII - Prec	autions for Safe Han	dling and Use	
Steps to Be Taken in Ca There is no possibility of		Spilled: As the product is soak	ed in a porous reservoir.
Waste Disposal Method	l: Dispose of in accordance	e with local government require	ments for disposal
	in Handling and Storing: lammable ink. Store away	Store in a cool dry area. Keep c	ontainer tightly closed.
Other Presentiones A.	aid avnogura to skin a	fr ness Do Not Inhala	
Omer Precautions:: Avo	oid exposure to skin, eyes	α nose. Do not innaie.	

п			
	-		

### **Section VIII - Control Measures**

	ection (Specify Type) no additional protection required.				
Ventilation	Local Exhaust: No		Special: None		
	Mechanical (General): No		Other: None		
Protective Gloves: No		Eye Protection: Avoid contact with eyes			
Other Protective Clothing or Equipment: None					
Work/Hygienic Practices: Avoid contact with skin and eyes. Do Not Inhale. Wash hands after use.					
	Page 2		* U.S.G.P.O.: 1986 - 491 - 529/45775		

Page 2